

# TRUCK AND TRAILER



## INDUSTRY GRADE NYLON AIR COIL ASSEMBLY - SET

- Each kit contains one Emergency (Red) and one service (Blue) 1/2" O.D. nylon tubing assembly.
- 1/2" -14 NPTF end fitting with heavy gauge spring.
- Assemblies meet SAE J844 and DOT FMVSS 106 requirements.
- Temp rating -40° - +208°

| Part # | Length | Pigtail Length<br>Tractor end | Pigtail Length<br>Trailer end | List<br>Price |
|--------|--------|-------------------------------|-------------------------------|---------------|
| 39404  | 12'    | 6'                            | 6'                            | 74.67         |
| 39400  | 15'    | 12'                           | 12'                           | 82.64         |
| 39402  | 15'    | 40"                           | 12"                           | 104.15        |
| 39406  | 20'    | 12"                           | 12"                           | 115.06        |



## FIFTH WHEEL SLIDER COIL

- Temperatures range -40 to 208°F
- 150 psi max pressure rating
- Meets SAE J844 and DOT FMVSS 106 requirements.
- (2) 1/4" OD fittings assembled

| Part # | Description           | Length    | Fittings     | List Price |
|--------|-----------------------|-----------|--------------|------------|
| 39839  | 5th Wheel slider coil | up to 54" | (2) 1/4" MPT | 25.94      |
| 39838  | 5th Wheel slider coil | up to 72" | (2) 1/4" MPT | 30.43      |



## 3-IN-1 AND 4-IN-1 COMBINATION AIRLINE CABLE

- (2) 3/8" ID SAE J1402 rubber service and emergency with blue (service) and red (emergency) gladhand grip handle
- Color-coded grip helps to minimize incorrect tractor/trailer connections have glad handle with Vibraseal
- ABS power line (green) – meets SAE J2222 requirements
- Auxiliary power line (yellow) – fitted with SAESS60 plugs that have an inverted (male) ground pin 4-in-1 only
- SAE J560 Plugs with sleeves for superior corrosion protection and strain relief
- Corrosion resistant all brass fittings 1/2" male NPT w/ Vibraseal
- Tapered grip flexes with airline during tight turns for kink protection
- Temp rating -40 - 208°F

| Part # | Description                  | List<br>Price |
|--------|------------------------------|---------------|
| 39825  | Combo 3 in 1 assembly 15 ft. | 406.36        |
| 39962  | Combo 4 in 1 assembly 15 ft. | 600.86        |



**AIRBRAKE HOSE REPAIR KIT**

- Fittings to repair two rubber air brake hoses, 3/8" or 1/2"
- Contains 2 fittings and a hex tool
- Meets DOT 106 SAE j1402
- Brass sleeve and barb
- Pre-applied sealant

| Part # | Description                        | Qty       | List Price |
|--------|------------------------------------|-----------|------------|
| 39855  | 3/8" Quick fix hose fitting        | Bulk/100  | 7.08       |
| 39856  | 3/8" Quick fix hose kit- clam pack | Box of 12 | 11.33      |
| 39857  | 1/2" Quick fix hose                | Bulk/100  | 9.00       |




39425

39426

**POGO STICKS CANNISTER STYLE**

- Large diameter housing eliminates spring binding
- Increased resistance to sagging and bending
- Thick gauge heavy duty spring
- Used for all nylon and rubber air brake hose
- Forged steel mounting stud 7/16-20 thread
- All Pogo Sticks include Eyebolt and Nut

| Part # | Size | Description       | List Price |
|--------|------|-------------------|------------|
| 39425  | 40"  | Chrome finish     | 86.48      |
| 39426  | 40"  | Zinc Plated Steel | 80.76      |




39409

39410

**HOSE HOLDERS**

- ABS Plastic
- 2, 3 and 4 Hold



39411

39413


39416

39412

| Part # | Size | Description                 | List Price |
|--------|------|-----------------------------|------------|
| 39409  | 1/2" | 2-Hose Holder Hex Head      | 3.30       |
| 39410  | 1/2" | 2-Hose Holder               | 4.66       |
| 39411  | 1/2" | 3-Hose Holder               | 4.26       |
| 39413  | 1/2" | 3-Hose Hex Head w Cable tie | 6.60       |
| 39416  | 1/2" | 4-Hose V Bolt w Cable Tie   | 6.90       |
| 39412  | 1/2" | 4-Hose Holder               | 5.34       |

**HOSE SEPARATORS**

- ABS Plastic



39415

39418

| Part # | Size | Description      | List Price |
|--------|------|------------------|------------|
| 39414  | 3/8" | 2-Hose Separator | 1.00       |
| 39415  | 3/8" | 4-Hose Separator | 3.31       |
| 39418  | 1/2" | 2-Hose Separator | 4.66       |
| 39419  | 1/2" | 4-Hose Separator | 5.34       |

**HOSE SUPPORT****TRUCK AND TRAILER**

39469



39473



39472



39477



39846

**TENDER KIT COMPONENTS**

| Part # | Description    | List Price |
|--------|----------------|------------|
| 39411  | 3 hole holder  | 4.26       |
| 39469  | Clip Carabiner | 4.26       |
| 39472  | Hanger Bracket | 5.33       |
| 39473  | Yoke           | 2.03       |

• Sold Separately

**HOSE SUPPORT**

| Part # | Description                          | List Price |
|--------|--------------------------------------|------------|
| 39477  | Frame Clip with Cable Tie            | 2.10       |
| 39846  | Hose Support Spring 1-1/8" x 8" long | 8.89       |
| 39847  | Hose Support Spring 1" x 13" long    | 4.00       |

**SPRING WITH TANDEM FRAME CLIP**

- Steel spring and clip - yellow dichromate finish
- 3/4" OD

39471




39463

| Part # | Length    | Description       | List Price |
|--------|-----------|-------------------|------------|
| 39463  | 6" Spring | Tandem frame clip | 4.39       |
| 39464  | 3" Spring | Tandem frame clip | 2.96       |
| 39471  |           | Frame clip only   | 1.71       |



95631



95640

**CLIPS**

| Part # | Description                | List Price |
|--------|----------------------------|------------|
| 95631  | ABS Clip for 1/2" Air Hose | 0.43       |
| 95640  | 5" Axle Clip               | 2.22       |
| 95641  | 5-3/4" Axle Clip           | 2.34       |

**TENDER KIT**

**Complete Tender Kit includes:**

- Large snap Clip
- Heavy duty spring
- Protective tube


| Part # | Spring & Tube Length/ #pcs | Large Clip | 3 Hole Clamp | Yoke | List Price |
|--------|----------------------------|------------|--------------|------|------------|
| 39442  | 16" / 1pc                  | 1pc        | 1pc          |      | 24.23      |
| 39444  | 16" / 2 pcs                | 2pcs       | 1pc          | 2pcs | 48.91      |
| 39446  | 20" / 1pc                  | 1pc        | 1pc          |      | 25.09      |
| 39448  | 20" / 2pcs                 | 2pcs       | 1pc          | 2pcs | 34.11      |
| 39452  | 25" / 1pc                  | 1pc        | 1pc          |      | 17.09      |
| 39453  | 25" / 2pcs                 | 2pcs       | 1pc          | 2pcs | 34.11      |

**HYDRAULIC TENDER KIT**

| Part # | Spring & Tube Length/ #pcs | Large Clip | Hanger Bracket | Yoke | List Price |
|--------|----------------------------|------------|----------------|------|------------|
| 39457  | 25" / 2pcs                 | 2pcs       | 1pc            | 2pcs | 40.26      |

**SLIDER BAR KITS**

| Part # | Spring & Tube Length/ #pcs | Large Clip | 3 Hole Clamp | Slider Bar Length | Yoke | List Price |
|--------|----------------------------|------------|--------------|-------------------|------|------------|
| 39437  | 16" / 1pc                  | 1pc        | 1pc          | 43"               |      | 96.54      |
| 39438  | 16" / 2pcs                 | 2pcs       | 1pc          | 43"               | 2pcs | 96.94      |
| 39459  | 20" / 2pcs                 | 2pcs       | 1pc          | 43"               | 2pcs | 76.20      |
| 39460  | 25" / 1pc                  | 1pc        | 1pc          | 43"               |      | 58.97      |
| 39461  | 25" / 2pcs                 | 2pcs       | 1pc          | 43"               | 2pcs | 73.97      |
| 39470  | 16" / 1pc                  | 1pc        | 1pc          | 38"               |      | 92.20      |
| 39462  | 16" / 2pcs                 | 2pcs       | 1pc          | 38"               | 2pcs | 121.51     |
| 39451  | 25" / 1pc                  | 1pc        | 1pc          | 38"               |      | 52.26      |
| 39454  | 25" / 2pcs                 | 2pcs       | 1pc          | 38"               | 2pcs | 67.29      |

**BARS, SPRINGS, TUBES**

| Part # | Spring & Tube Length/ #pcs | List Price |
|--------|----------------------------|------------|
| 39443  | 16" Tube only              | 8.30       |
| 39447  | 20" Tube only              | 9.06       |
| 39436  | 25" Tube only              | 11.25      |
| 39466  | 16" Spring only            | 7.52       |
| 39467  | 20" Spring only            | 8.52       |
| 39468  | 25" Spring only            | 9.00       |
| 39474  | 38" Slider Bar             | 32.69      |
| 39475  | 43" Slider Bar             | 66.66      |

## AIR

## TRUCK AND TRAILER

## ALUMINUM GLADHANDS

- 1/2 " FPT port
- Aluminum Casting
- Permanent Clamp Screw
- Black rubber seals
- Stainless Steel filter
- Meet SAE J318 requirements



PORT A

| Part # | Description           | Material | Seal       | Filter | Port A | List Price |
|--------|-----------------------|----------|------------|--------|--------|------------|
| 39870  | Universal             | Aluminum | Blk Rubber | No     | 1/2"   | 6.00       |
| 39871  | Universal with filter | Aluminum | Blk Rubber | Yes    | 1/2"   | 6.56       |
| 39877  | Emergency Red         | Aluminum | Blk Rubber | No     | 1/2"   | 6.00       |
| 39878  | Emergency with filter | Aluminum | Blk Rubber | Yes    | 1/2"   | 8.23       |
| 39874  | Service Blue          | Aluminum | Blk Rubber | No     | 1/2"   | 6.00       |
| 39875  | Service with filter   | Aluminum | Blk Rubber | Yes    | 1/2"   | 8.23       |

## PLATED ALUMINUM GLADHANDS



| Part # | Description         | Material        | Seal       | Filter | Port A | List Price |
|--------|---------------------|-----------------|------------|--------|--------|------------|
| 39832  | Universal Standard  | Plated Aluminum | Blk Rubber | No     | 1/2"   | 11.43      |
| 39833  | Service - Blue      | Plated Aluminum | Blk Rubber | No     | 1/2"   | 11.43      |
| 39834  | Emergency - Red     | Plated Aluminum | Blk Rubber | No     | 1/2"   | 11.43      |
| 39828  | Service 38 degree   | Plated Aluminum | Blk Rubber | No     | 1/2"   | 16.25      |
| 39829  | Emergency 38 degree | Plated Aluminum | Blk Rubber | No     | 1/2"   | 16.25      |
| 39830  | Service 38 degree   | Plated Aluminum | Blk Rubber | No     | 3/8"   | 23.11      |
| 39831  | Emergency 38 degree | Plated Aluminum | Blk Rubber | No     | 3/8"   | 23.11      |

## CAST IRON GLADHANDS

- 1/2 " FPT port
- One-piece casting eliminates problems with clamp separation
- "Positive-stop" post, assures a perfect connection
- Polyurethane seal resist oils, chemicals & provide improved sealing & service life
- Gladhands meet SAE J318 requirements including breakaway requirement.



PORT A

| Part # | Description | Material  | Seal               | Filter | Port A | List Price |
|--------|-------------|-----------|--------------------|--------|--------|------------|
| 39506  | Universal   | Cast Iron | Black Polyurethane | No     | 1/2"   | 17.15      |
| 39507  | Emergency   | Cast Iron | Red Polyurethane   | No     | 1/2"   | 17.15      |
| 39508  | Service     | Cast Iron | Blue Polyurethane  | No     | 1/2"   | 17.15      |

## ANGLE MOUNT ALUMINUM GLADHANDS

- For use in trailer mounting locations
- Dual port provides connection options
- Powder-coated clamp plates are color coded for easy identification
- Port "A" comes standard as unplugged
- (2) 3/8 inch FPT Ports (one plugged).
- (2) 11/32 inch diameter mounting holes.
- Available with Port "B" plugged or unplugged (plug is included, loose in bag)
- Meet SAE J318



PORT A -

PORT B

| Part # | Type      | Material | Seal       | Filter | Port A    | Port B  | List Price |
|--------|-----------|----------|------------|--------|-----------|---------|------------|
| 39511  | Emergency | Aluminum | Blk Rubber | No     | Unplugged | Plugged | 12.83      |
| 39512  | Service   | Aluminum | Blk Rubber | No     | Unplugged | Plugged | 12.83      |

**POWDER COATED IRON GLADHAND**

- Tough powder coating improves wear & corrosion resistance
- Vividly colored to provide improved identification of service & emergency lines
- Stainless steel plate eliminates corrosion of the mating surface
- Polyurethane seal resist oil, chemicals, provide improved sealing & service life
- Meet or exceeds SAE J318 standard



PORT A

| Part # | Description                  | Filter | Port A | List Price |
|--------|------------------------------|--------|--------|------------|
| 39509  | Service with blue poly seal  | Yes    | 1/2"   | 8.45       |
| 39510  | Emergency with red poly seal | Yes    | 1/2"   | 8.45       |

**BRACKET MOUNT SWING AWAY GLADHAND**

- Bracket allows 180° rotation allowing for easy hookups, eliminating the need to twist lines during connections
  - Helps protect rear-trailer gladhands when not in use
  - Filter and closed seal are recommended
  - Spring design provides consistent tension throughout rotation
  - Design provides both back port and bottom port capabilities
- Gladhand mount - 1/2" Male Thread



| Part # | Description     | Material | Seal       | Filter | List Price |
|--------|-----------------|----------|------------|--------|------------|
| 39515  | Service (Blue)  | Aluminum | Blk Rubber | yes    | 48.11      |
| 39516  | Emergency (Red) | Aluminum | Blk Rubber | yes    | 48.11      |

**KNOB STYLE SHUTOFF GLADHAND**

- Economical trailer shutoff gladhand
- Centered low-profile "snap-stop" knob
- Full face rubber seal
- Available with assembled or separate fittings.
- Meets SAE J318
- Color coded polyurethane seals included



| Part # | Description                  | Material | Seal       | Filter | List Price |
|--------|------------------------------|----------|------------|--------|------------|
| 39520  | 1/2" Service Chrome Finish   | Aluminum | Blk Rubber | No     | 62.11      |
| 39521  | 3/8" Service Chrome Finish   | Aluminum | Blk Rubber | No     | 62.06      |
| 39522  | 1/2" Emergency Chrome Finish | Aluminum | Blk Rubber | No     | 62.11      |
| 39524  | 3/8" Emergency Chrome Finish | Aluminum | Blk Rubber | No     | 62.06      |

PORT B



PORT A

**LEVER STYLE SHUTOFF GLADHAND**

- Flange mount
- Metal handle shutoff
- Full face rubber seal
- Tough metal Ball valve
- Color coded
- Meets SAE J318

| Part # | Description     | Material | Seal       | Filter | Port A NPT | Port B NPT | List Price |
|--------|-----------------|----------|------------|--------|------------|------------|------------|
| 39531  | Emergency (Red) | Aluminum | Blk Rubber | No     | 3/8"       | 1/4"       | 59.26      |
| 39530  | Service (Blue)  | Aluminum | Blk Rubber | No     | 3/8"       | 1/4"       | 59.26      |

## AIR

## TRUCK AND TRAILER

## GLADHAND GRIPS



## 1/2" NPTF.

- Comes with hardware and sealant
- Color-coded red and blue for easy air line identification - clamshell
- Handles are heat, oil and UV-resistant.
- Meet SAE J318

| Part # | Description        | List Price |
|--------|--------------------|------------|
| 39535  | Poly grip hardware | 27.03      |

## ALUMINUM GLADHAND GRIPS



- 1/2" NPTF
- Each pack contains (1) red and (1) blue - clamshell
- One piece design
- No screws or plastic parts
- Easy to install
- Class II anodized coating provides greater corrosion resistance

| Part # | Description | List Price |
|--------|-------------|------------|
| 39537  | Sure grip   | 23.03      |

## GLADHAND PACIFIER SEAL

- Seals Gladhand from moisture, dirt and debris


| Part # | Description       | List Price |
|--------|-------------------|------------|
| 39566  | Gladhand pacifier | 3.00       |


## GLADHAND SEALS

Seal Options:

- Rubber
- Polyurethane
- With screen filter
- Double lip
- Filter screen only

| Part # | Description                             | List Price |
|--------|-----------------------------------------|------------|
| 39540  | Black Rubber                            | 0.71       |
| 39541  | Blue, Polyurethane                      | 1.40       |
| 39542  | Red, Polyurethane                       | 1.40       |
| 39543  | Black, Polyurethane                     | 1.43       |
| 39556  | Blue with a screen filter Polyurethane  | 3.20       |
| 39557  | Red with a screen filter Polyurethane   | 3.20       |
| 39558  | Black with a screen filter Polyurethane | 3.29       |
| 39550  | Blue Double lip, Polyurethane           | 2.23       |
| 39551  | Red Double Lips, Polyurethane           | 2.31       |
| 39552  | Double Lip, Polyurethane                | 3.06       |
| 39544  | Grey, Closed Style, Polyurethane        | 1.43       |
| 39560  | Filter, Screen, Gladhand                | 1.03       |
| 39559  | Filter, Screen, Gladhand                | 0.29       |





39565

**DUMMY GLADHAND COUPLING KIT**

- 6 1/2" coupling length

| Part # | Connection | Vent | Material                 | List Price |
|--------|------------|------|--------------------------|------------|
| 39563  | Chain      | Yes  | Steel Yellow Zinc plated | 5.76       |
| 39564  | Chain      | No   | Steel Yellow Zinc plated | 5.76       |
| 39565  | Cable      | N/A  | Aluminum                 | 8.61       |



39574

39575

**NYLON GLADHAND AND PLUG HOLDER**

- Stores Gladhand and electrical hook ups at a 45° angle.
- Can accept heavy ABS plug
- Standard mounting holes to install on back of cab.
- Glass-filled nylon, non-corrosive construction.

| Part # | Description | List Price |
|--------|-------------|------------|
| 39574  | 1 plug slot | 28.29      |
| 39575  | 2 plug slot | 34.11      |

**GLADHAND HOLDER KIT**

- Steel - Zinc Yellow Dichromate
- Holds gladhands when disconnected

| Part # | Description  | List Price |
|--------|--------------|------------|
| 39573  | Holder Kit   | 10.94      |
| 39572  | Bracket only | 5.37       |

**GLADHAND LOCK**

- Red molded plastic
- Prevents unwanted connections with trailers
- Protects idle units
- Universal for Aluminum and Iron Gladhands
- Supplied with 2-keys

| Part # | Description             | List Price |
|--------|-------------------------|------------|
| 39570  | Gladhand Lock w/ 2 keys | 34.26      |

**\* Not an Anti theft device**

**KING PIN LOCK-ANTI HOOK UP**

- Cast, Zinc plated
- Anti-tractor, trailer hook-up
- Supplied with 2 keys

| Part # | Description             | List Price |
|--------|-------------------------|------------|
| 39860  | King Pin Lock w/ 2 keys | 36.91      |



**AIR CYLINDER**

- 300 series stainless steel cylinder shafts provide excellent corrosion resistance and extended cycle life -cylinders tested to over 500,000 cycles.
- Lightweight, corrosion resistant aluminum tube with die cast aluminum end caps.
- Rear clevis cast as integral part of the rear cover for improved durability and mounting integrity.
- Double acting, Emralon-coated piston cup assures smooth long lasting operation even in cold weather conditions to ( - 40°F).
- Front end cap assembly includes pressure seal, dirt seal and oil impregnated bronze bushing.
- Cylinder tube imprinted with part number and date code for quick identification.
- All cylinders are factory pressure and leak tested prior to shipping.
- Front Cover Kit-Includes front cover with bushing and seals installed and two cylinder gaskets.
- Rear Cover Kit-Includes rear cover with two cylinder gaskets.
- Piston Cup Kit-Includes piston cup, lock nut and two cylinder gaskets.
- Shaft Kit-Includes shaft, lock nut and two cylinder gaskets.

| Part # | Size   | Stroke | Retracted | Extended | Type          | List Price |
|--------|--------|--------|-----------|----------|---------------|------------|
| 39672  | 2 1/2" | 4.0"   | 9.89"     | 13.89"   | push/pull     | 235.52     |
| 39673  | 2 1/2" | 6.0"   | 11.89"    | 17.89"   | push/pull     | 239.97     |
| 39674  | 2 1/2" | 8.0"   | 13.89"    | 21.89"   | push/pull     | 240.03     |
| 39675  | 2 1/2" | 6.0"   | 13.75"    | 19.75"   | Spring return | 335.91     |
| 39676  | 3 1/2" | 8.0"   | 15.60"    | 24.28"   | push/pull     | 370.88     |
| 39677  | 3 1/2" | 10.0"  | 16.92"    | 26.95"   | push/pull     | 377.00     |

**HIGH LIFT AIR CYLINDERS**

- Aluminum tube with 16 RMS finish
- Temp rating -40 to 185°F
- Recommended working pressure 150 psi
- Minimum bursting pressure 150 psi
- 1275 lb. thrust at 100 psi
- 1158 lb. draw at 100 psi

| Part # | Dia. | Stroke | Retracted | Extended | Type      | List Price |
|--------|------|--------|-----------|----------|-----------|------------|
| 39654  | 4"   | 24"    | 34.5"     | 58.5"    | push/pull | 942.67     |

**TAILGATE AIR CYLINDERS**

- Die cast aluminum with mount hole for 1/2" pin and 1/4" NPT port
- Molded piston cup
- Stainless steel piston rod with 5/8" – 18 thread
- 10 PSI – 120 PSI
- 10 psi min-120 psi max



| Part # | Dia.   | Stroke | Length | Type       | List Price |
|--------|--------|--------|--------|------------|------------|
| 39655  | 2-1/2" | 4.0"   | 13.37  | Push/Pull  | 144.54     |
| 39656  | 2-1/2" | 6.0"   | 17.37  | Push/Pull  | 157.18     |
| 39657  | 2-1/2" | 8.0"   | 21.37  | Push/Pull  | 170.79     |
| 39658  | 2-1/2" | 4.0"   | 14.71  | Spring Ret | 322.63     |
| 39659  | 2-1/2" | 6.0"   | 19.75  | Spring Ret | 157.18     |
| 39660  | 3-1/2" | 6.0"   | 20.23  | Push/Pull  | 259.33     |
| 39661  | 3-1/2" | 8.0"   | 24.23  | Push/Pull  | 276.79     |
| 39662  | 3-1/2" | 8.0"   | 26.98  | Push/Pull  | 297.61     |

**TAILGATE AIR CYLINDERS**

- Machined aluminum, 5/8" diameter, stainless steel shaft with 5/8" - 18 threads, "O" rings and a UHMW polyethylene wear band
- Direct replacements to Haldex and MGM
- Standard operating pressure 100 psi
- 90psi min to 150 psi max

| Part # | Dia. | Stroke | Bracket | Type       | List Price |
|--------|------|--------|---------|------------|------------|
| 39665  | 6"   | 3"     | Yes     | Spring Ret | 780.60     |
| 39667  | 6"   | 4.38"  | No      | Spring Ret | 780.60     |

**FIFTH WHEEL AIR CYLINDER**

- 1/4" FPT port cast aluminum front and rear
- 2-1/2" Bore
- 6-3/4" stroke
- Front and rear mounting hole for 17/32" clevis,
- 100 psi
- Gold anodized tube for corrosion resistance

| Part # | Description              | List Price |
|--------|--------------------------|------------|
| 39669  | Fifth Wheel Air Cylinder | 314.89     |

**AIR****TRUCK AND TRAILER****AIR TANK DRAIN PULL VALVE**

| Part # | Size      | Description                 | List Price |
|--------|-----------|-----------------------------|------------|
| 39595  | 1/4" male | 5ft nylon coated pull cable | 12.77      |
| 39596  | 1/4" male | 4ft nylon coated pull cable | 11.94      |
| 39597  | 1/4" male | 3ft nylon coated pull cable | 11.77      |
| 39600  | 1/4" male | Air valve only              | 11.54      |

**AIR TANK CHECK VALVE**

- Single check valves allow air to pass from a single source to its destination, and prevent air travel in the opposite direction.



| Part # | Male x Female | List Price |
|--------|---------------|------------|
| 39604  | 1/4"          | 30.51      |
| 39605  | 3/8"          | 23.49      |
| 39606  | 1/2"          | 22.69      |

**D-2 STYLE AIR BRAKE GOVERNOR**

- Opening and closing pressures of 100 to 120 psi
- High temperature O-ring construction
- Gasket and plugs included
- Replaces Bendix 275491 & KN18530



| Part # | Thread     | Description                   | List Price |
|--------|------------|-------------------------------|------------|
| 39592  | 6-1/8" NPT | Air Brake Governors D-2 style | 24.09      |

**IN-LINE QUICK RELEASE VALVE**

- Quick release for the air break system
- 3/8" female exhaust port
- 2-3/8" female delivery port
- Cracking pressure: 1 PSI
- Helps meet the FMVSS -121 requirement for timing



| Part #  | Description                          | List Price |
|---------|--------------------------------------|------------|
| 39610*  | 3/8" NPT In-Line quick release valve | 14.97      |
| 39611** | 1/2" NPT In-Line quick release valve | 14.97      |

\* Replaces Bendix 229859, 288351 & KN32005


\*\* Replaces Bendix 229860 & KN32011

**R-12 RELAY VALVE**

- 1/4" Relay Valve with multiple delivery ports
- Replaces Bendix 102166, 102626, 103009



| Part # | Supply Port | Delivery Port | Description       | List Price |
|--------|-------------|---------------|-------------------|------------|
| 39613  | 1/2" NPT    | 4, 1/2"NPT    | 4 psi no Bracket  | 59.44      |
| 39614  | 1/2" NPT    | 4, 1/2"NPT    | 4 psi Relay Valve | 59.73      |
| 39615  | 3/4" NPT    | 2, 1/2" NPT   | 4 psi Relay Valve | 61.17      |

**R-14 RELAY VALVE**

- 1/4" Relay Valve with two delivery and supply ports
- Replaces Bendix 103010

| Part # | Supply Port | Delivery Port | Description       | List Price |
|--------|-------------|---------------|-------------------|------------|
| 39616  | 2-3/4"NPT   | 2-1/2"NPT     | 4 psi Relay Valve | 75.30      |

**THREE WAY SOLENOID**

- Operates a minimum GF 50,000 cycles
- Inlet port normally closed
- Must be mounted vertically with the air inlet port facing up
- 1/4" female NPT ports
- 12 Volts
- 100-120 psi operating pressure
- Attached mounting bracket with two 9/32" diameter mounting holes on 2-1/2" centers

| Part # | Supply Port | Description        | List Price |
|--------|-------------|--------------------|------------|
| 39684  | 2, 1/4" FPT | Three way Solenoid | 75.43      |

**UNIVERSAL SOLENOID**

- Operates a minimum of 50,000 cycles.
- 125 amps at 12 volts.
- Continuous voltage.
- One on/off circuit
- 5/16 inch side studs, No. 10 top stud(s).
- Hardware included.

| Part # | Description     | List Price |
|--------|-----------------|------------|
| 39687  | 4 stud Solenoid | 40.34      |
| 39688  | 3 stud Solenoid | 37.14      |

**AIR SOLENOID VALVE**

- Operates a minimum of 50,000 cycles.
- 100 psi max pressure.
- 1/4" Thread
- 10 Watts, 12 VDC
- Replaces Neway 90054075


| Part # | Description | List Price |
|--------|-------------|------------|
| 39689  | 12V Closed  | 188.54     |
| 39690  | 12V Open    | 185.49     |

**ELECTRICAL****TRUCK AND TRAILER****SEVEN-WAY COILED CABLE ASSEMBLIES**

- ABS assemblies are heavy duty to power trailers
- HD Green gives clear ABS identification
- Resists abrasion, great coil retention
- Heavy duty plugs with spring guards
- ABS Cable meets SAE J2394
- Operating temperature range of -55° to +185°F



| Pin Location | Color code | Gauge | Circuit                      |
|--------------|------------|-------|------------------------------|
| 1            | White      | 8     | Ground                       |
| 2            | Black      | 12    | Clearance, side and ID lamps |
| 3            | Yellow     | 12    | Left turn and Hazard         |
| 4            | Red        | 10    | Stop lamp and Anti-lock      |
| 5            | Green      | 12    | Right turn and Hazard        |
| 6            | Brown      | 12    | Tail and Plate lamp          |
| 7            | Blue       | 10    | ABS Power Aux                |

**ABS**


| Part # | Length | Description                                              | List Price |
|--------|--------|----------------------------------------------------------|------------|
| 39736  | 12'    | Coiled Electrical Cord, ABS w/12 in lead, w/plugs, Green | 126.39     |
| 39737  | 15'    | Coiled Electrical Cord, ABS w/12 in lead, w/plugs, Green | 141.09     |

**SEVEN-WAY COILED CABLE BLACK**

- This high quality, durable construction is recommended for single-trailer configurations using standard lighting on non-ABS vehicles.
- Durable black outer jacket with heavy duty zinc die cast plugs and two spring guards included.



| Pin | Color code | HD Gauge | Eco Gauge | Circuit                      |
|-----|------------|----------|-----------|------------------------------|
| 1   | White      | 10       | 12        | Ground                       |
| 2   | Black      | 12       | 14        | Clearance, side and ID lamps |
| 3   | Yellow     | 12       | 14        | Left turn and Hazard         |
| 4   | Red        | 12       | 14        | Stop lamp and Anti-lock      |
| 5   | Green      | 12       | 14        | Right turn and Hazard        |
| 6   | Brown      | 12       | 14        | Tail and Plate lamp          |
| 7   | Blue       | 12       | 14        | ABS Power Aux                |

**STANDARD - HEAVY DUTY**

| Part # | Length | Description                                          | List Price |
|--------|--------|------------------------------------------------------|------------|
| 39738  | 12'    | Coiled Electrical Cord, w/12 in lead, w/plugs, Black | 104.30     |
| 39739  | 15'    | Coiled Electrical Cord, w/15 in lead, w/plugs, Black | 125.97     |

**STANDARD - ECONOMY**

| Part # | Length | Description                                          | List Price |
|--------|--------|------------------------------------------------------|------------|
| 39740  | 12'    | Coiled Electrical Cord, w/12 in lead, w/plugs, Black | 80.94      |
| 39741  | 15'    | Coiled Electrical Cord, w/12 in lead, w/plugs, Black | 92.91      |

**SIX WAY COILED ELECTRIC CABLE ASSEMBLY**

- 6', 8', 12' Length
- Includes 2 Thermoseal 6-way plugs
- For light duty towing applications such as boats and utility trailers
- Plugs are molded for moisture and corrosion resistance
- 4/14 Gauge cable
- Flexible from -55°F to 150°F (-66°C to 66°C)

| Part # | Description                      | List Price |
|--------|----------------------------------|------------|
| 39752  | 6ft, 14awg w/12" Lead at 2 ends  | 65.60      |
| 39753  | 8 ft, 14awg w/12" Lead at 2 ends | 69.61      |
| 39754  | 12ft, 14awg w/12" Lead at 2 ends | 79.61      |

**FOUR WAY COILED ELECTRIC CABLE ASSEMBLY**

- 4/14 Gauge cable
- 12' & 15' length
- Includes 2 Thermoseal 4-way plugs
- For light duty towing applications such as boats and utility trailers
- Plugs are molded for moisture and corrosion resistance
- Flexible from -55°F to 150°F (-66°C to 66°C)

| Part # | Description                          | List Price |
|--------|--------------------------------------|------------|
| 39748  | 12' with 12" Lead, both ends 4/14awg | 66.00      |
| 39749  | 15' with 12" Lead, both ends 4/14awg | 73.66      |

**DUEL POLE COILED ELECTRIC CABLE ASSEMBLY**

- Black Jacket
- 12' & 15' length
- 200 Amp at 12 VDC.
- Zinc die cast plugs.
- 4 gauge cable.

| Part # | Description                           | List Price |
|--------|---------------------------------------|------------|
| 39744  | 12' Coil With 12" Lead at 2 ends 4awg | 226.31     |
| 39745  | 15' Coil With 12" Lead at 2 ends 4awg | 261.77     |

**SINGLE POLE COILED ELECTRIC CABLE ASSEMBLY**

- Black Jacket
- 12' & 15' length
- For applications that require direct electrical power to trailer lift gates.
- Rated at 265 amps on/off service (30 seconds on/50 seconds off).
- Zinc die cast plugs with spring guards included.
- 4 gauge cable.


| Part # | Description                           | List Price |
|--------|---------------------------------------|------------|
| 39742  | 12' Coil With 12" Lead both ends 4awg | 245.49     |
| 39743  | 15' Coil With 12" Lead both ends 4awg | 261.40     |

**ELECTRICAL****TRUCK AND TRAILER****7 WAY PLUGS AND SOCKETS**


39758



39757



39772



- Heavy-duty, nickel-plated zinc die cast housings
- Brass terminal pins for maximum current carrying ability
- Field repairable with standard tools
- Fully interchangeable with other SAE-type, 7-way connectors
- ATA marked wire terminals.
- Internal clamp holds cable securely in place.
- Standard seven-way plugs meet ATA and SAE J560 requirements
- ISO plugs meet ISO 3731:1997 requirements.
- ISO socket prevents connections with Non-ISO plugs - Used in tractor/trailer systems
- ISO color-coded yellow, non-corrosive reinforced nylon housing.

**PLUGS**

| Part # | Description                            | List Price |
|--------|----------------------------------------|------------|
| 39757  | 7-Way Single Grip Plug w/Spring Guard  | 13.43      |
| 39758  | 7-Way Single Grip Plug w/Spring.       | 10.26      |
| 39772  | 7-Way Double Grip Plug w/Spring.       | 11.74      |
| 39773  | 7-Way Double Grip Plug NO Spring Guard | 11.27      |
| 39788  | 7-way ISO plug                         | 22.57      |

**SOCKETS**

| Part # | Description                  | List Price |
|--------|------------------------------|------------|
| 39774  | Solid Pin 7-Way Metal Socket | 20.20      |
| 39775  | Split Pin 7-Way Metal Socket | 14.85      |
| 39789  | 7-way, ISO socket            | 29.17      |

**7 WAY DOUBLE GRIP PLUG**

- T-Grip weather guard
- Plastic grip

| Part # | Description                     | List Price |
|--------|---------------------------------|------------|
| 39818  | 7-Way Double Grip Plug, Plastic | 12.79      |

**6 AND 7 WAY ADAPTER**

| Part # | Description                              | List Price |
|--------|------------------------------------------|------------|
| 39786  | Seven way plug to Six Way Socket Adapter | 61.54      |
| 39787  | Six way plug to Seven Way socket Adapter | 83.17      |

**RV 7-WAY PLUG**


- Primarily used in RV applications.
- Constructed of molded PVC for impact resistance
- Blade Style Pin

| Part # | Description        | List Price |
|--------|--------------------|------------|
| 39819  | 7-way Plastic plug | 13.46      |

**RV 7-WAY SOCKET**

- RV Screw-type socket
- 6-24 VDC.
- Mounting 2-1/4" inch on center .
- Constructed of molded PVC


| Part # | Description  | List Price |
|--------|--------------|------------|
| 39820  | 7-way socket | 13.80      |

**6 - WAY PLUGS AND SOCKETS**

| Part # | Description                                  | List Price |
|--------|----------------------------------------------|------------|
| 39782  | 6-Way Double Grip Metal Plug w/Spring Guard. | 9.71       |
| 39783  | 6-Way Metal Socket.                          | 10.77      |

**4 WAY PLUGS AND SOCKETS**

- Heavy-duty zinc die cast housings on plugs and sockets.
- Plug locking system works with socket door to ensure proper hookup and prevent unintentional disconnections.
- Spring guard supports and protects cable.

**4 - WAY**

| Part # | Description                                  | List Price |
|--------|----------------------------------------------|------------|
| 39778  | 4-Way Double Grip Metal Plug w/Spring Guard. | 8.60       |
| 39779  | 4-Way Metal Socket.                          | 9.03       |

**2 POLE PLUGS AND SOCKETS**

- 200 amp 4 gauge wire capacity.
- Heavy-duty zinc die cast housing.
- Internal ground.
- Spring guard supports and protects cable.



| Part # | Description                                   | List Price |
|--------|-----------------------------------------------|------------|
| 39768  | 2 Pole Double Grip Metal Plug w/Spring Guard. | 24.86      |
| 39769  | 2 Pole Metal Socket                           | 28.26      |

**SINGLE POLE PLUGS AND SOCKETS**

- Used to provide power to heavy draw auxiliary trailer equipment.
- Heavy-duty zinc die cast housings.
- Power and ground terminals hold up to 1/0 gauge wire.



| Part # | Description                                          | List Price |
|--------|------------------------------------------------------|------------|
| 39764  | 1-Way Double Grip Plug w/Spring Guard.               | 22.06      |
| 39765  | 1-Way Double Grip Plug w/Spring Guard and Ground Kit | 24.40      |
| 39766  | 1-Way Metal Socket                                   | 19.34      |
| 39767  | 1-Way Metal Socket and Ground Kit                    | 20.97      |

**GROUND KIT**

| Part # | Description                                                  | List Price |
|--------|--------------------------------------------------------------|------------|
| 39809  | Ground Kit (Bolt, Nut and Wire Lug) for 1-Way Plug or Socket | 1.60       |


**PROTECTOR BOOT FOR PLUG**

- Protective rubber boot seals out moisture and contaminants



| Part # | Description    | List Price |
|--------|----------------|------------|
| 39807  | Protector Boot | 1.14       |



**ELECTRICAL****TRUCK AND TRAILER****7 WAY SOCKET WITH CIRCUIT BREAKER**

- Non-corrosive, reinforced nylon housing for added durability.
- Designed for No. 8 ring terminals.
- ATA color-coded contacts.
- Solid brass split pins are zinc-plated for corrosion resistance.
- Each socket includes automatic reset circuit breakers with positive snap action to eliminate arcing (unless otherwise noted).
- Mounting holes are 4 1/2 inch on center and include steel bushings for added housing protection.
- Adhesive-backed mounting gasket included.
- Circuit breaker sockets meet SAE J560 requirements.

| Part # | Description                         | List Price |
|--------|-------------------------------------|------------|
| 39792  | No circuit breakers                 | 33.09      |
| 39793  | 15amp Plastic with circuit breakers | 57.23      |
| 39794  | 20amp Plastic with circuit breakers | 57.23      |
| 39795  | 30amp Plastic with circuit breakers | 57.23      |

**7 WAY CIRCUIT CHASER**

- Instantly finds short or faulty circuits
- Portable



| Part # | Description   | List Price |
|--------|---------------|------------|
| 39805  | 7 way circuit | 19.72      |

**CIRCUIT BREAKERS - PLASTIC**

- Colored Battery molded Stud
- 12 Volt
- Meets SAE j553 requirements
- Nuts included



| Part # | Description | List Price |
|--------|-------------|------------|
| 39800  | 15 AMP      | 5.86       |
| 39801  | 20 AMP      | 5.86       |
| 39802  | 25 AMP      | 5.86       |
| 39803  | 30 AMP      | 5.86       |

**NOSE BOX - DEEP**

- Zinc - extra deep



| Part # | Description   | List Price |
|--------|---------------|------------|
| 39814  | Deep Nose Box | 31.69      |

**BATTERY GROUND STRAP**

- 4 gauge wire.
- Molded zinc-plated steel lugs and tin-plated copper stranding.
- 7/16 inch diameter bolt hole.
- 12" Long

| Part # | Description               | List Price |
|--------|---------------------------|------------|
| 39712  | 21", 4 Gauge ground strap | 14.60      |

**STAINLESS STEEL BATTERY NUT**

| Part # | Type | List Price |
|--------|------|------------|
| 39713  | 3/8" | 3.60       |

**RUBBER GROMMET**

- Black Rubber



| Part # | ID    | OD     | List Price |
|--------|-------|--------|------------|
| 95450  | 5/16" | 9/16"  | 0.29       |
| 95451  | 5/8"  | 1 1/4" | 0.46       |
| 95452  | 3/4"  | 1 3/4" | 0.80       |

## ACCESSORIES

## TRUCK AND TRAILER

**DEER WHISTLES**

- Produces two separate and unique frequencies
- High output airflow activated
- Can be removed from base for cleaning and car washes
- Mounts with high bond tape **(included)**
- Lowers risk for vehicle-animal collisions

| Part # | Description    | List Price |
|--------|----------------|------------|
| 39465  | 2 pack whistle | 9.12       |

**CABLE TIE STRAPS - NYLON**

- Used to secure and bundle
- CSA Certified
- RoHs Compliant
- UV or Standard

**STANDARD**




| Part # | Length | Strength | Package Qty | List Price |
|--------|--------|----------|-------------|------------|
| 95601  | 7 1/2" | 50lb     | 100         | 11.40      |
| 95602  | 11"    | 50 lb    | 100         | 13.68      |
| 95603  | 14.5"  | 50 lb    | 100         | 22.23      |
| 95604  | 24"    | 175 lb   | 50          | 48.45      |
| 95605  | 36"    | 175lb    | 50          | 57.00      |
| 95606  | 48"    | 175 lb   | 50          | 88.35      |

**UV BLACK**

| Part # | Length | Strength | Package Qty | List Price |
|--------|--------|----------|-------------|------------|
| 95610  | 7 1/2" | 50lb     | 100         | 11.40      |
| 95611  | 14"    | 50 lb    | 100         | 22.23      |
| 95612  | 24"    | 175lb    | 50          | 48.45      |
| 95613  | 36"    | 175lb    | 50          | 57.00      |




95620



95625



95627



95628

### CONSPICUITY TAPE

Tape is designed for trucks, trailers, and other vehicles for easy nighttime vehicle recognition and increased road safety. It is a high quality, durable microprismatic retroreflective material with a pressure sensitive adhesive. The solid construction does not require edge sealing. Conspicuity tape provides superior reflectivity and may help reduce accidents.

- DOT -C2 Certified
- Meets or exceeds NHTSA, FMVSS 108 & ASTM D4956
- Meets Canada TSD 108
- 10 year durability


| Part # | Description                                   | App. Wt. | List Price |
|--------|-----------------------------------------------|----------|------------|
| 95620  | 2" x 150' Roll of 11" Red / 7" White          | 0.32     | 242.45     |
| 95621  | 2" x 150' Roll of 6" Red / 6" White           | 0.32     | 292.94     |
| 95622  | 2" x 150' Roll of solid white                 | 0.32     | 292.94     |
| 95623  | 2" x 18", kiss cut strip, white               | 0.03     | 5.02       |
| 95624  | 2" x 18" kiss cut strip of 11" Red / 7" White | 0.03     | 4.63       |

- Meets or exceeds ANSI/SAE S279, ANSI/SAE S276 & ASTM D-4956
- 7 year durability

| Part # | Description                                | App. Wt. | List Price |
|--------|--------------------------------------------|----------|------------|
| 95625  | 1" X 150' Roll of solid yellow             | 0.17     | 168.38     |
| 95626  | 2" X 150' Roll of solid yellow             | 0.32     | 431.83     |
| 95627  | 3" round all plastic reflector, Red        | 0.06     | 7.48       |
| 95628  | 3 3/4" x 6 1/2" American flag, type IV HIP | 0.02     | 9.03       |

### TARP STRAPS

- Heavy Duty EPDM tarp straps
- Longer lasting than rubber
- Greater stretch length
- Ozone and weather resilient
- Made in the USA




| Part # | Strap Length | Material | Description            | Qty | List Price |
|--------|--------------|----------|------------------------|-----|------------|
| 990790 | 10"          | EPDM     | Tarp strap with S hook | 50  | 2.26       |
| 990791 | 15"          | EPDM     | Tarp strap with S hook | 50  | 2.34       |
| 990792 | 21"          | EPDM     | Tarp strap with S hook | 50  | 2.51       |
| 990793 | 31"          | EPDM     | Tarp strap with S hook | 50  | 3.42       |
| 990794 | 41"          | EPDM     | Tarp strap with S hook | 50  | 5.06       |

**NYLON DOT AIR BRAKE TUBING****TRUCK AND TRAILER**

- Air Brake Tubing available from inventory in a large variety of colors and sizes
- Superior cold weather flexibility and abrasion resistance
- UV and ozone resistant nylon
- Meets or exceeds SAEJ844 (Type A - non-reinforced & Type B - reinforced)
- Meets or exceeds DOT requirements for use with compression fittings (NOTE: SAE does not recognize 1/8", 5/32" or 3/16" O.D. tubing for use with air brake systems)
- Air Brake Tubing identified per SAE J844 & FMVSS No. 106 Brake Hoses, 49 CFR 571.106
- Conforms to our own rigorous qualification and inspection testing which exceeds SAE and DOT requirements
- Designed to operate at up to 150 psi in air brake systems
- Resistant to attack by gasoline, diesel fuel and commonly used road and cleaning chemicals
- Air Brake Tubing available on bulk spools or by packages
- Operating range: -40° - 200°F - Not made for fuel

| Part Number | Color  | Length | Nominal O.D. | Nominal Wall | List Price |
|-------------|--------|--------|--------------|--------------|------------|
| 38-950B2    | Black  | 2000'  | 1/8"         | 0.023"       | 1800.00    |
| 38-950      | Black  | 100'   | 1/8"         | 0.023"       | 101.70     |
| 38-95BA     | Black  | 50'    | 1/8"         | 0.023"       | 60.00      |
| 38-951B1    | Black  | 1000'  | 5/32"        | 0.032"       | 1380.00    |
| 38-951      | Black  | 100'   | 5/32"        | 0.032"       | 1380.00    |
| 38-951BA    | Black  | 50'    | 5/32"        | 0.032"       | 81.00      |
| 38-953B1    | Black  | 1000'  | 3/16"        | 0.035"       | 1800.00    |
| 38-953      | Black  | 100'   | 3/16"        | 0.035"       | 198.00     |
| 38-953BA    | Black  | 50'    | 3/16"        | 0.035"       | 111.00     |
| 38-9523     | Black  | 1000'  | 1/4"         | 0.040"       | 1395.00    |
| 38-9522     | Black  | 500'   | 1/4"         | 0.040"       | 697.50     |
| 38-952      | Black  | 100'   | 1/4"         | 0.040"       | 142.80     |
| 38-952BA    | Black  | 50'    | 1/4"         | 0.040"       | 66.00      |
| 38-952U1    | Blue   | 1000'  | 1/4"         | 0.040"       | 1080.00    |
| 38-952U     | Blue   | 100'   | 1/4"         | 0.040"       | 178.73     |
| 38-952UA    | Blue   | 50'    | 1/4"         | 0.040"       | 72.00      |
| 38-952O     | Orange | 100'   | 1/4"         | 0.040"       | 120.00     |
| 38-952OA    | Orange | 50'    | 1/4"         | 0.040"       | 78.00      |
| 38-952G1    | Green  | 1000'  | 1/4"         | 0.040"       | 1140.00    |
| 38-952G     | Green  | 100'   | 1/4"         | 0.040"       | 142.80     |
| 38-952GA    | Green  | 50'    | 1/4"         | 0.040"       | 78.00      |
| 38-952R1    | Red    | 1000'  | 1/4"         | 0.040"       | 1140.00    |
| 38-952R     | Red    | 100'   | 1/4"         | 0.040"       | 133.39     |
| 38-952RA    | Red    | 50'    | 1/4"         | 0.040"       | 78.00      |
| 38-952Y1    | Yellow | 1000'  | 1/4"         | 0.040"       | 1140.00    |
| 38-952Y     | Yellow | 100'   | 1/4"         | 0.040"       | 120.00     |
| 38-952YA    | Yellow | 50'    | 1/4"         | 0.040"       | 78.00      |
| 38-954B5    | Black  | 500'   | 5/16"        | 0.040"       | 750.00     |
| 38-954      | Black  | 100'   | 5/16"        | 0.040"       | 156.00     |
| 38-954BA    | Black  | 50'    | 5/16"        | 0.040"       | 93.00      |
| 38-960B5    | Black  | 500'   | 3/8"         | 0.062"       | 1472.00    |
| 38-960      | Black  | 100'   | 3/8"         | 0.062"       | 280.72     |
| 38-960BA    | Black  | 50'    | 3/8"         | 0.062"       | 158.40     |
| 38-960U5    | Blue   | 500'   | 3/8"         | 0.062"       | 960.00     |
| 38-960U     | Blue   | 100'   | 3/8"         | 0.062"       | 366.47     |
| 38-960UA    | Blue   | 50'    | 3/8"         | 0.062"       | 117.00     |
| 38-960O5    | Orange | 500'   | 3/8"         | 0.062"       | 960.00     |
| 38-960O     | Orange | 100'   | 3/8"         | 0.062"       | 210.00     |
| 38-960OA    | Orange | 50'    | 3/8"         | 0.062"       | 117.00     |
| 38-960G5    | Green  | 500'   | 3/8"         | 0.062"       | 960.00     |
| 38-960G     | Green  | 100'   | 3/8"         | 0.062"       | 270.00     |
| 38-960GA    | Green  | 50'    | 3/8"         | 0.062"       | 117.00     |
| 38-960R5    | Red    | 500'   | 3/8"         | 0.062"       | 960.00     |
| 38-960R     | Red    | 100'   | 3/8"         | 0.062"       | 270.00     |
| 38-960RA    | Red    | 50'    | 3/8"         | 0.062"       | 117.00     |

| Part Number | Color  | Length | Nominal O.D. | Nominal Wall | List Price |
|-------------|--------|--------|--------------|--------------|------------|
| 38-960Y5    | Yellow | 500'   | 3/8"         | 0.062"       | 960.00     |
| 38-960Y     | Yellow | 100'   | 3/8"         | 0.062"       | 270.00     |
| 38-960YA    | Yellow | 50'    | 3/8"         | 0.062"       | 117.00     |
| 38-965B5    | Black  | 500'   | 1/2"         | 0.062"       | 1799.55    |
| 38-965      | Black  | 100'   | 1/2"         | 0.062"       | 384.80     |
| 38-965BA    | Black  | 50'    | 1/2"         | 0.062"       | 192.60     |
| 38-965U5    | Blue   | 500'   | 1/2"         | 0.062"       | 1290.00    |
| 38-965U     | Blue   | 100'   | 1/2"         | 0.062"       | 450.00     |
| 38-965UA    | Blue   | 50'    | 1/2"         | 0.062"       | 150.00     |
| 38-965O5    | Orange | 500'   | 1/2"         | 0.062"       | 1290.00    |
| 38-965O     | Orange | 100'   | 1/2"         | 0.062"       | 270.00     |
| 38-965OA    | Orange | 50'    | 1/2"         | 0.062"       | 150.00     |
| 38-965G5    | Green  | 500'   | 1/2"         | 0.062"       | 1290.00    |
| 38-965G     | Green  | 100'   | 1/2"         | 0.062"       | 270.00     |
| 38-965GA    | Green  | 50'    | 1/2"         | 0.062"       | 150.00     |
| 38-965R5    | Red    | 500'   | 1/2"         | 0.062"       | 1290.00    |
| 38-965R     | Red    | 100'   | 1/2"         | 0.062"       | 463.68     |
| 38-965RA    | Red    | 50'    | 1/2"         | 0.062"       | 150.00     |
| 38-965Y5    | Yellow | 500'   | 1/2"         | 0.062"       | 1290.00    |
| 38-965Y     | Yellow | 100'   | 1/2"         | 0.062"       | 270.00     |
| 38-965YA    | Yellow | 50'    | 1/2"         | 0.062"       | 150.00     |
| 38-970BC    | Black  | 250'   | 5/8"         | 0.092"       | 1140.00    |
| 38-970      | Black  | 100'   | 5/8"         | 0.092"       | 478.43     |
| 38-970BA    | Black  | 50'    | 5/8"         | 0.092"       | 243.00     |
| 38-970GC    | Green  | 250'   | 5/8"         | 0.092"       | 1140.00    |
| 38-970G     | Green  | 100'   | 5/8"         | 0.092"       | 462.00     |
| 38-970GA    | Green  | 50'    | 5/8"         | 0.092"       | 309.00     |
| 38-970RC    | Red    | 250'   | 5/8"         | 0.092"       | 1140.00    |
| 38-970R     | Red    | 100'   | 5/8"         | 0.092"       | 462.00     |
| 38-970RA    | Red    | 50'    | 5/8"         | 0.092"       | 243.00     |
| 38-975BC    | Black  | 250'   | 3/4"         | 0.092"       | 1904.82    |
| 38-975      | Black  | 100'   | 3/4"         | 0.092"       | 797.50     |
| 38-975BA    | Black  | 50'    | 3/4"         | 0.092"       | 348.00     |
| 38-975GC    | Green  | 250'   | 3/4"         | 0.092"       | 1470.00    |
| 38-975G     | Green  | 100'   | 3/4"         | 0.092"       | 594.00     |
| 38-975GA    | Green  | 50'    | 3/4"         | 0.092"       | 312.00     |

**TRUCK AND TRAILER****FUEL LINE AND AIR BRAKE HOSE****FUEL LINE AND VAPOR EMISSION**

- SAE 30R7
- Nitrile tube w/ spiral synthetic cord, hypalon cover.
- 50 p.s.i. working pressure. 1/2 -35 PSI
- 40° F to + 257° F temperature range.
- Low pressure/ high temperature fuel for cars, light trucks, and small engines.
- Meets SAE J1402

| Part # | ID   | OD    | Length | List Price |
|--------|------|-------|--------|------------|
| 38-920 | 3/16 | 13/32 | 25'    | 160.50     |
| 38-926 | 5/16 | 9/16  | 25'    | 196.50     |
| 38-923 | 1/4  | 1/2   | 25'    | 172.50     |
| 38-927 | 3/8  | 5/8   | 50'    | 252.00     |

**AIR BRAKE HOSE**

- Black

- Spiral synthetic cord reinforcement with neoprene cover.
- 40° F to +200° F temperature range.
- Max opperating pressure 255 psi
- Max burst pressure 900 psi
- Meets SAE J1402

| Part # | ID  | OD  | Length | List Price |
|--------|-----|-----|--------|------------|
| 38-910 | 3/8 | 3/4 | 50'    | 120.44     |
| 38-915 | 1/2 | 7/8 | 50'    | 180.48     |